

European and U.S. Core Loci Expansion Efforts

- Budowle, B., et al. (1998). CODIS and PCR-based short tandem repeat loci: law enforcement tools. *Proceedings of the Second European Symposium on Human Identification*, pp. 73-88. Madison, Wisconsin: Promega Corporation. Available at <http://www.promega.com/products/pm/genetic-identity/ishi-conference-proceedings/2nd-eshi-oral-presentations/>.
- Butler, J.M. (2011). NIST Update and Addressing Concerns with Expanded CODIS Core Loci. Presentation given at National CODIS Conference. Available at http://www.cstl.nist.gov/strbase/pub_pres/NIST-Update-CODIS2011.pdf
- FBI (2012). Planned process and timeline for implementation of additional CODIS core loci. Available at <http://www.fbi.gov/about-us/lab/biometric-analysis/codis/planned-process-and-timeline-for-implementation-of-additional-codis-core-loci>.
- Ge, J., et al. (2012). Developing criteria and data to determine best options for expanding the core CODIS loci. *Investigative Genetics*, 6(3), 1. Available at
- Gill, P., et al. (2006a). The evolution of DNA databases-Recommendations for new European STR loci. *Forensic Science International*, 156, 242-244.
- Gill, P., et al. (2006b). New multiplexes for Europe-amendments and clarification of strategic development. *Forensic Science International*, 163, 155-157.
- Hares, D.R. (2012a). Expanding the CODIS Core Loci in the United States. *Forensic Science International: Genetics*, 6, e52-e54
- Hares, D.R. (2012b). Addendum to expanding the CODIS core loci in the United States. *Forensic Science International: Genetics*, 6, e135
- Zaken, N., et al. (2013). Can brothers share the same STR profile? *Forensic Science International: Genetics*, 7(5), 494-498.

Information on STR Kits or New Assays

- Barbaro, A., et al. (2013). Casework application of a stand-alone pentaplex assay of extended-ESS STRs. *Legal Medicine*, 15, 217-221.
- Collins, P.J., et al. (2004). Developmental validation of a single-tube amplification of the 13 CODIS STR loci, D2S1338, D19S433, and amelogenin: the AmpFISTR Identifier PCR amplification kit. *Journal of Forensic Sciences*, 49(6), 1265-1277.
- Ensenberger, M.G., et al. (2010). Developmental validation of the PowerPlex 16 HS System: an improved 16-locus fluorescent STR multiplex. *Forensic Science International: Genetics*, 4, 257-264.
- Green, R. L., et al. (2013). Developmental validation of the AmpFISTR® NGM SElect PCR Amplification Kit: A next-generation STR multiplex with the SE33 locus. *Forensic Science International: Genetics*, 7, 41-51.
- Greenspoon, S.A., et al. (2004). Validation and implementation of the PowerPlex 16 BIO System STR multiplex for forensic casework. *Journal of Forensic Sciences* 49, 71-80.
- Holt, C.L., et al. (2002). TWGDAM validation of AmpFISTR PCR amplification kits for forensic DNA casework. *Journal of Forensic Sciences*, 47, 66-96.
- Huang, Y.M., et al. (2013). Assessment of application value of 19 autosomal short tandem repeat loci of GoldenEye 20A kit in forensic paternity testing. *International Journal of Legal Medicine*, 127(3), 587-590.
- Hill, C.R., et al. (2011). Concordance and population studies along with stutter and peak height ratio analysis for the PowerPlex® ESX 17 and ESI 17 Systems. *Forensic Science International: Genetics*, 5(4), 269-275.
- Jiang, X., et al. (2013). Development of a 20-locus fluorescent multiplex system as a valuable tool for national DNA database. *Forensic Science International: Genetics*, 7(2), 279-289.
- Krenke, B.E., et al. (2002). Validation of a 16-locus fluorescent multiplex system. *Journal of Forensic Sciences*, 47, 773-785.
- Life Technologies (2013). GlobalFiler kit. <http://www.lifetechnologies.com/us/en/home/industrial/human-identification/globalfiler-str-kit.html>.
- McLaren, R.S., et al. (2012) Improved primer pair for the SE33 locus in the PowerPlex ESI 17 Pro System. *Profiles in DNA*. Available at <http://www.promega.com/resources/articles/profiles-in-dna/2012/improved-primer-pair-for-the-se33-locus-in-the-powerplex-esi-17-pro-system/>.
- McLaren, R.S., et al. (2013). Developmental validation of the PowerPlex ESI 17 Pro System. *Forensic Science International: Genetics*, 7, e69-e73.

Reference List for ISHI 2013 Workshop on New STR Loci and Kits

Compiled by John Butler, Sept 2013

- Mulero, J.J., et al. (2008). Development and validation of the AmpFISTR® MiniFiler PCR Amplification Kit: a miniSTR multiplex for the analysis of degraded and/or PCR inhibited DNA. *Journal of Forensic Sciences*, 53, 838-852.
- Mulero, J.J., et al. (2008). Developmental validation of the AmpFISTR® SEfiler Plus™ PCR amplification kit: an improved multiplex with enhanced performance for inhibited samples. *Forensic Science International: Genetics Supplement Series*, 1, 121-122.
- Mulero, J.J., & Hennessy, L.K. (2012). Next-generation STR genotyping kits for forensic applications. *Forensic Science Review*, 24(1), 1-13.
- Oostdik, K., et al. (2013). Developmental validation of the PowerPlex® 18D System, a rapid STR multiplex for analysis of reference samples. *Forensic Science International: Genetics*, 7, 129-135.
- Oz, C., et al. (2013). Recognizing the advantage of employing the PowerPlex(®) ESI and PowerPlex(®) ESX complementary kits for purposes of clarification in routine casework. *Forensic Science International: Genetics*, 7(4), 461-466.
- Promega (2012). PowerPlex Fusion System. <http://www.promega.com/products/pm/genetic-identity/powerplex-fusion>.
- Muller, K., et al. (2010). Casework testing of the multiplex kits AmpFISTR SEfiler Plus PCR amplification kit (AB), PowerPlex S5 System (Promega) and AmpFISTR MiniFiler PCR amplification kit (AB). *Forensic Science International: Genetics*, 4, 200-205.
- Myers, B.A., et al. (2012). Evaluation and comparative analysis of direct amplification of STRs using PowerPlex® 18D and Identifiler® Direct systems. *Forensic Science International: Genetics*, 6, 640-645.
- Phillips, C., et al. (2013). Development of a novel forensic STR multiplex for ancestry analysis and extended identity testing. *Electrophoresis*, 34(8), 1151-1162.
- Poetsch, M., et al. (2011). Powerplex® ES versus Powerplex® S5--casework testing of the new screening kit. *Forensic Science International: Genetics*, 5, 57-63.
- Schumm, J.W., et al. (2013). A 27-locus STR assay to meet all United States and European law enforcement agency standards. *Journal of Forensic Sciences*, (in press). doi: 10.1111/1556-4029.12214
- Tucker, V.C., et al. (2011). Developmental validation of the PowerPlex® ESI 16 and PowerPlex® ESI 17 Systems: STR multiplexes for the new European standard. *Forensic Science International: Genetics*, 5, 436-448.
- Tucker, V.C., et al. (2012). Developmental validation of the PowerPlex® ESX 16 and PowerPlex® ESX 17 Systems. *Forensic Science International: Genetics*, 6, 124-131.
- Tvedebrink, T., et al. (2012). Performance of two 17 locus forensic identification STR kits-Applied Biosystems's AmpFISTR® NGMSElect and Promega's PowerPlex® ESI17 kits. *Forensic Science International: Genetics*, 6, 523-531.
- van Oven, M., et al. (2012). A multiplex SNP assay for the dissection of human Y-chromosome haplogroups O representing the major paternal lineage in East and Southeast Asia. *Journal of Human Genetics*, 57, 65-69.
- Wallin, J.M., et al. (1998). TWGDAM validation of the AmpFISTR Blue PCR amplification kit for forensic casework analysis. *Journal of Forensic Sciences*, 43, 854-870.
- Wang, D.Y., et al. (2012). Developmental validation of the AmpFISTR® Identifiler® Plus PCR Amplification Kit: an established multiplex assay with improved performance. *Journal of Forensic Sciences*, 57, 453-465.
- Zhang, S., et al. (2013). A new multiplex assay of 17 autosomal STRs and amelogenin for forensic application. *PLoS ONE*, 8(2), e57471.

Population Data on NIST U.S. Samples

- Butler, J.M., et al. (2003) Allele frequencies for 15 autosomal STR loci on U.S. Caucasian, African American, and Hispanic populations. [Journal of Forensic Sciences](http://www.jfs.org/48(4)/908-911), 48(4), 908-911.
- Butler, J.M., et al. (2012). Variability of new STR loci and kits in U.S. population groups. *Profiles in DNA*. Available at <http://www.promega.com/resources/articles/profiles-in-dna/2012/variability-of-new-str-loci-and-kits-in-us-population-groups/>.
- Coble, M.D., et al. (2013). Haplotype data for 23 Y-chromosome markers in four U.S. population groups. *Forensic Science International: Genetics*, 7, e66-e68.
- Diegoli, T.M., et al. (2011). Allele frequency distribution of twelve X-chromosomal short tandem repeat markers in four U.S. population groups. *Forensic Science International: Genetics Supplement Series*, 3, e481-e483.

Hill, C.R., et al. (2013). U.S. population data for 29 autosomal STR loci. *Forensic Science International: Genetics*, 7, e82-e83.

NIST Population Data: <http://www.cstl.nist.gov/strbase/NISTpop.htm>.

On-line Population Databases

AllSTR Autosomal Database for Short Tandem Repeats: <http://allstr.de/>

Amigo, J., et al. (2009). *pop.STR*—an online population frequency browser for established and new forensic STRs. *Forensic Science International: Genetics Supplement Series*, 2, 361-362.

ENFSI DNA WG STR Population Database: <http://strbase.org/>

OmniPop: <http://www.cstl.nist.gov/strbase/population/OmniPop200.1.xls>

popSTR: <http://spsmart.cesga.es/popstr.php>

STRBase Population Data Listing: <http://www.cstl.nist.gov/strbase/populationdata.htm>

Population Data on New Autosomal STRs

Aranda, X.G., et al. (2010). Genetic data for D1S1677, D2S441, D4S2364, D10S1248, D14S1434 and D22S1045 miniSTR loci from Libya. *Forensic Science International: Genetics*, 4, 267-268.

Barbaro, A., et al. (2012). Allele frequencies of the new European Standard Set (ESS) loci in a population of Southern Italy (Calabria). *Forensic Science International: Genetics*, 6, e37-e38.

Berti, A., et al. (2011). Allele frequencies of the new European Standard Set (ESS) loci in the Italian population. *Forensic Science International: Genetics*, 5, 548-549.

Cortellini, V., et al. (2011). Population data on 5 non-CODIS STR loci (D10S1248, D22S1045, D2S441, D1S1656, D12S391) in a population sample from Brescia county (Northern Italy). *Forensic Science International: Genetics*, 5, e97-e98.

Dognaux, S., et al. (2012). Allele frequencies for the new European Standard Set (ESS) loci and D1S1677 in the Belgian population. *Forensic Science International: Genetics*, 6, e75-e77.

Jakovski, Z., et al. (2012). Allele frequencies of the new European Standard Set (ESS) loci plus SE33 locus in a population from the Republic of Macedonia. *Forensic Science International: Genetics*, 6, e90-e92.

Jedrzejczyk, M., et al. (2012). Genetic population studies on 15 NGM STR loci in central Poland population. *Forensic Science International: Genetics*, 6, e119-e120.

Kalpana, D., et al. (2012). Pentaplex typing of new European Standard Set (ESS) STR loci in Indian population. *Forensic Science International: Genetics*, 6, e86-e89.

Mertens, G., et al. (2011). Population genetic analysis of Moroccans residing in Belgium using 16 autosomal STRs of the PowerPlex ES1 17 multiplex. *Forensic Science International: Genetics*, 5, 352-353.

Molnar, A., et al. (2011). Allele distribution of the new European Standard Set (ESS) loci in the Hungarian population. *Forensic Science International: Genetics*, 5, 555-556.

Monterrosa, J.C., et al. (2012). Population genetic data for 16 STR loci (PowerPlex ESX-17 kit) in El Salvador. *Forensic Science International: Genetics*, 6, e134.

Phillips, C., et al. (2011). Analysis of global variability in 15 established and 5 new European Standard Set (ESS) STRs using the CEPH human genome diversity panel. *Forensic Science International: Genetics*, 5, 155-169.

Piglionica, M., et al. (2013). Allele frequencies of the new European Standard Set (ESS) loci in a population of Apulia (Southern Italy). *Forensic Science International: Genetics*, 7(2), e35-36.

Pontes, M.L., & Pinheiro, M.F. (2012). Population data of the AmpFISTR® NGM STR loci in a North of Portugal sample. *Forensic Science International: Genetics*, 6, e127-e128.

Raimann, P.E., et al. (2012). Genetic data for D1S1677, D2S441, D4S2364, D10S1248, D14S1434 and D22S1045 miniSTR loci from the state of Rio Grande do Sul, Southern Brazil. *Forensic Science International: Genetics*, 6, e42-e43.

Reference List for ISHI 2013 Workshop on New STR Loci and Kits

Compiled by John Butler, Sept 2013

Ribeiro, T., et al. (2013). Population data of the AmpFISTR® NGM loci in South Portuguese population. *Forensic Science International: Genetics*, 7(2), e37-e39.

Rodenbusch, R., et al. (2012). Allele frequencies of the five new generation forensic STR (D1S1656, D2S441, D10S1248, D12S391 and D22S1045) in the population from Rio Grande do Sul, Southern Brazil. *Forensic Science International: Genetics*, 6, e55-e57.

Seider, T., et al. (2010). Allele frequencies of the five miniSTR loci D1S1656, D2S441, D10S1248, D12S391 and D22S1045 in a German population sample. *Forensic Science International: Genetics*, 4, e159-e160.

Information on STR Loci

Butler, J.M. (2006). Genetics and genomics of core STR loci used in human identity testing. *Journal of Forensic Sciences*, 51(2), 253-265.

Butler, J.M. (2012). *Advanced Topics in Forensic DNA Typing: Methodology*. Elsevier Academic Press: San Diego. [See Appendix 1]

Butler, J.M., et al. (2009). The single most polymorphic STR locus: SE33 performance in U.S. populations. *Forensic Science International: Genetics Supplement Series (Progress in Forensic Genetics 13)*, 2, 23-24. [available at <http://www.fsigeneticssup.com>]

Butler, J.M., et al. (2007) [New autosomal and Y-chromosome STR loci: characterization and potential uses](#). *Proceedings of the Eighteenth International Symposium on Human Identification*. See <http://www.promega.com/geneticidproc/>

Butler, J.M., et al. (2011). SE33 variant alleles: sequences and implications. *Forensic Science International: Genetics Supplement Series*, 3, e502-e503. [available at <http://www.fsigeneticssup.com>]

Butler, J.M., & Hill, C.R. (2012). Biology and genetics of new autosomal STR loci useful for forensic DNA analysis. *Forensic Science Reviews*, 24(1), 15-26.

Coble, M.D., & Butler, J.M. (2005). Characterization of new miniSTR loci to aid analysis of degraded DNA. *Journal of Forensic Sciences*, 50, 43-53.

Fondevila, M., et al. (2011). [An assessment of linkage between forensic markers: core STRs, mini-STRs and InDels](#). *Proceedings of the 22nd International Symposium on Human Identification*. Available at <http://www.promega.com/products/pm/genetic-identity/ishi-conference-proceedings/22nd-ishi-oral-presentations/>.

Kline, M.C., et al. (2011). The latest and greatest NIST PCR-based DNA Profiling Standard: updates and status of Standard Reference Material (SRM) 2391c. *Profiles in DNA*, Available at <http://www.promega.com/resources/articles/profiles-in-dna/2011/the-latest-and-greatest-nist-pcr-based-dna-profiling-standard/>.

Kline, M.C., et al. (2011). The new Standard Reference Material 2391c: PCR-based DNA profiling standard. *Forensic Science International: Genetics Supplement Series*, 3, e355-e356. [available at <http://www.fsigeneticssup.com>]

Lareu, M.V., et al. (1996). A highly variable STR at the D12S391 locus. *International Journal of Legal Medicine*, 109, 134-138.

Lareu, M.V., et al. (1998). Sequence variation of a hypervariable short tandem repeat at the D1S1656 locus. *International Journal of Legal Medicine*, 111, 244-247.

Moller, A., & Brinkmann, B. (1994). Locus ACTBP2 (SE33): sequencing data reveal considerable polymorphism. *International Journal of Legal Medicine*, 106, 262-267.

O'Connor, K.L., et al. (2010). [Evaluating the effect of additional forensic loci on likelihood ratio values for complex kinship analysis](#). *Proceedings of the Twenty-first International Symposium on Human Identification*. See <http://www.promega.com/geneticidproc/>

Park, H., et al. (2012). Detection of very large off-ladder alleles at the Penta E locus in a 15 locus autosomal STR database of 199 Korean individuals. *Forensic Science International: Genetics*, 6(6), e189-e191.

Rolf, B., et al. (1997). Sequence polymorphism at the tetranucleotide repeat of the human beta-actin related pseudogene H-beta-Ac-psi-2 (ACTBP2) locus. *International Journal of Legal Medicine*, 110, 69-72.

Wang, D.Y., et al. (2012). Identification and secondary structure analysis of a region affecting electrophoretic mobility of the STR locus SE33. *Forensic Science International: Genetics*, 6(3), 310-316.

Concordance Studies

- Davis, C., et al. (2012). Variants observed for STR locus SE33: a concordance study. *Forensic Science International: Genetics*, 6(4), 494-497.
- Drabek, J., et al. (2004). Concordance study between miniplex STR assays and a commercial STR typing kit. [Journal of Forensic Sciences, 49\(4\), 859-860.](#)
- Garcia, O., et al. (2012). Population genetic data and concordance study for the kits Identifiler, NGM, PowerPlex ESX 17 System and Investigator ESSplex in Spain. *Forensic Science International: Genetics*, 6, e78-e79.
- Hatzer-Grubwieser, P., et al. (2012). Allele frequencies and concordance study of 16 STR loci--including the new European Standard Set (ESS) loci--in an Austrian population sample. *Forensic Science International: Genetics*, 6, e50-e51.
- Hill, C.R., et al. (2007). Concordance study between the AmpFISTR MiniFiler PCR Amplification Kit and conventional STR typing kits. [Journal of Forensic Sciences, 52\(4\), 870-873.](#)
- Hill, C.R., et al. (2011) Concordance testing comparing STR multiplex kits with a standard data set. *Forensic Science International: Genetics Supplement Series*, 3, e188-e189. [available at <http://www.fsigeneticssup.com>]
- Hill, C.R., et al. (2010). Strategies for concordance testing. [Profiles in DNA \(Promega\), 13\(1\)](#). Available at <http://www.promega.com/profiles/>.
- Hong, S.B., et al. (2013). Korean population genetic data and concordance for the PowerPlex® ESX 17, AmpFISTR Identifiler®, and PowerPlex® 16 systems. *Forensic Science International: Genetics*, 7(3), e47-e51.
- Kline, M.C., et al. (2011). STR sequence analysis for characterizing normal, variant, and null alleles. *Forensic Science International: Genetics*, 5(4), 329-332.
- Previdere, C., et al. (2013). The 2011 GeFI collaborative exercise. Concordance study, proficiency testing and Italian population data on the new ENFSI/EDNAP loci D1S1656, D2S441, D10S1248, D12S391, D22S1045. *Forensic Science International: Genetics*, 7, e15-e18.
- Vallone, P.M., et al. (2011). Concordance study of direct PCR kits: PowerPlex 18D and Identifiler Direct. *Forensic Science International: Genetics Supplement Series*, 3, e353-e354. [available at <http://www.fsigeneticssup.com>]
- Welch, L.A., et al. (2012). European Network of Forensic Science Institutes (ENFSI): evaluation of new commercial STR multiplexes that include the European Standard Set (ESS) of markers. *Forensic Science International: Genetics*, 6(6), 819-826.

Amelogenin Sex-Typing and Anomalies Observed

- AABB (2008). Annual Report Summary for Testing in 2008 Prepared by the Relationship Testing Program Unit. See Table 6 in <http://www.aabb.org/sa/facilities/Documents/rtannrpt08.pdf>.
- Alves, C., et al. (2006). The amelogenin locus displays a high frequency of X homologue failures in Sao Tome Island (West Africa). *Progress in Forensic Genetics 11, ICS 1288*, 271-273.
- Cadenas, A.M., et al. (2007). Male amelogenin dropouts: phylogenetic context, origins and implications. *Forensic Science International*, 166, 155-163.
- Chang, Y.M., et al. (2007). A distinct Y-STR haplotype for Amelogenin negative males characterized by a large Y(p)11.2 (DYS458-MSY1-AMEL-Y) deletion. *Forensic Science International*, 166, 115-120.
- Davis, C., et al. (2012). A case of amelogenin Y-null: a simple primer binding site mutation or unusual genetic anomaly? *Legal Medicine*, 14, 320-323.
- Giuliodori, A., et al. (2011). Rapid analysis for confirmation of amelogenin negative males characterized by a Yp11.2 deletion. *Forensic Science International: Genetics Supplement Series*, 3, e285-e286.
- Haas-Rochholz, H., & Weiler, G. (1997). Additional primer sets for an amelogenin gene PCR-based DNA-sex test. *International Journal of Legal Medicine*, 110, 312-315.
- Jobling, M.A., et al. (2007). Structural variation on the short arm of the human Y chromosome: recurrent multigene deletions encompassing Amelogenin Y. *Human Molecular Genetics*, 16(3), 307-316.
- Kastelic, V., et al. (2009). Validation of SRY marker for forensic casework analysis. *Journal of Forensic Sciences*, 54, 551-555.

Reference List for ISHI 2013 Workshop on New STR Loci and Kits

Compiled by John Butler, Sept 2013

- Kumagai, R., et al. (2008). DNA analysis of family members with deletion in Yp11.2 region containing amelogenin locus. *Legal Medicine*, 10, 39-42.
- Lattanzi, W., et al. (2005). A large interstitial deletion encompassing the *amelogenin* gene on the short arm of the Y chromosome. *Human Genetics*, 116, 395-401.
- Ma, Y., et al. (2012). Y chromosome interstitial deletion induced Y-STR allele dropout in AMELY-negative individuals. *International Journal of Legal Medicine*, 126(5), 713-724.
- Maciejewska, A., & Pawlowski, R. (2009). A rare mutation in the primer binding region of the Amelogenin X homologue gene. *Forensic Science International: Genetics*, 3, 265-267.
- Mannucci, A., et al. (1994). Forensic application of a rapid and quantitative DNA sex test by amplification of the X-Y homologous gene amelogenin. *International Journal of Legal Medicine*, 106, 190-193.
- Mitchell, R.J., et al. (2006). Amelogenin Y negative males: multiple origins. *Progress in Forensic Genetics 11, ICS 1288*, 274-276.
- Murphy, K.M., et al. (2007). Constitutional duplication of a region of chromosome Yp encoding AMELY, PRKY, and TBL1Y: implications for sex chromosome analysis and bone marrow engraftment analysis. *Journal of Molecular Diagnostics*, 9, 408-413.
- Oz, C., et al. (2008). A Y-chromosome STR marker should be added to commercial multiplex STR kits. *Journal of Forensic Sciences*, 53, 858-861.
- Raina, A., et al. (2010). Misinterpretation of results in medico-legal cases due to microdeletion in the Y-chromosome. *Molecular and Cellular Probes*, 24, 418-420.
- Santos, F.R., et al. (1998). Reliability of DNA-based sex tests. *Nature Genetics*, 18(2), 103-103.
- Shadrach, B., et al. (2004). A rare mutation in the primer binding region of the Amelogenin gene can interfere with gender identification. *Journal of Molecular Diagnostics*, 6(4), 401-405.
- Shewale, J.G., et al. (2000). Anomalous amplification of the amelogenin locus typed by AmpFISTR Profiler Plus amplification kit. *Forensic Science Communications*, 2(4). Available at <http://www.fbi.gov/about-us/lab/forensic-science-communications/fsc/oct2000/index.htm/shewale.htm>.
- Steinlechner, M., et al. (2002). Rare failures in the amelogenin sex test. *International Journal of Legal Medicine*, 116(2), 117-120.
- Sullivan, K.M., et al. (1993). A rapid and quantitative DNA sex test: fluorescence-based PCR analysis of X-Y homologous gene amelogenin. *BioTechniques*, 15, 637-641.
- Takayama, T., et al. (2009). Determination of deletion regions from Yp11.2 of an amelogenin negative male. *Legal Medicine*, 11, S578-S580.
- Thangaraj, K., et al. (2002). Is the amelogenin gene reliable for gender identification in forensic casework and prenatal diagnosis? *International Journal of Legal Medicine*, 116(2), 121-123.
- Turrina, S., et al. (2009). Evaluation of deleted region from Yp11.2 of two amelogenin negative related males. *Forensic Science International: Genetics Supplement Series*, 2, 240-241.
- Turrina, S., et al. (2011). Two additional reports of deletion on the short arm of the Y chromosome. *Forensic Science International: Genetics*, 5, 242-246.
- Zehethofer, K., & Rolf, B. (2011). A molecular analysis of three amelogenin negative males in two routine paternity tests. *Forensic Science International: Genetics*, 5, 550-551.

Closely-Spaced Loci: D12S391 and vWA Linkage Disequilibrium Studies

- Budowle, B., et al. (2011). Population genetic analyses of the NGM STR loci. *International Journal of Legal Medicine*, 125, 101-109.
- Gill, P., et al. (2012). An evaluation of potential allelic association between the STRs vWA and D12S391: implications in criminal casework and applications to short pedigrees. *Forensic Science International: Genetics*, 6, 477-486.
- O'Connor, K. L., et al. (2011). Linkage disequilibrium analysis of D12S391 and vWA in U.S. population and paternity samples. *Forensic Science International: Genetics*, 5, 538-540. [see also O'Connor, K.L., Hill, C.R., Vallone, P.M., Butler, J.M. (2011) Corrigendum to "Linkage disequilibrium analysis of D12S391 and vWA in U.S. population and paternity samples" *Forensic Sci. Int. Genet.* 5(5): 541-542.]

Reference List for ISHI 2013 Workshop on New STR Loci and Kits

Compiled by John Butler, Sept 2013

O'Connor, K. L., & Tillmar, A. O. (2012). Effect of linkage between vWA and D12S391 in kinship analysis. *Forensic Science International: Genetics*, 6, 840-844.

Phillips, C., et al. (2012). The recombination landscape around forensic STRs: Accurate measurement of genetic distances between syntenic STR pairs using HapMap high density SNP data. *Forensic Science International: Genetics*, 6, 354-365.

Y-STR Information

Y-STR Haplotype Databases

Fatolitis, L., & Ballantyne, J. (2008). The US Y-STR database. *Profiles in DNA*, 11(1), 13-14.

Ge, J., et al. (2010). US forensic Y-chromosome short tandem repeats database. *Legal Medicine*, 12, 289-295.

STRBase Listing of Y-STR Databases: http://www.cstl.nist.gov/strbase/y_strs.htm

U.S. Y-STR Database: <http://www.usystrdatabase.org/>

Willuweit, S., & Roewer, L. (2007). Y chromosome haplotype reference database (YHRD): Update. *Forensic Science International: Genetics*, 1, 83-87.

Y-Chromosome Haplotype Reference Database (YHRD): <http://www.yhrd.org>

Yfiler Haplotype Database: <http://www6.appliedbiosystems.com/yfilerdatabase/>

Ysearch (Genetic Genealogy): <http://www.ysearch.org/>

Y-STR Kits

Krenke, B.E., et al. (2005). Validation of male-specific, 12-locus fluorescent short tandem repeat (STR) multiplex. *Forensic Science International*, 151, 111-124.

Mulero, J.J., et al. (2006). Development and validation of the AmpFISTR® Yfiler PCR amplification kit: a male specific, single amplification 17 Y-STR multiplex system. *Journal of Forensic Sciences*, 51, 64-75.

Thompson, J.M., et al. (2013). Developmental validation of the PowerPlex® Y23 System: a single multiplex Y-STR analysis system for casework and database samples. *Forensic Science International: Genetics*, 7, 240-250.

PowerPlex Y23 Population Data

Calderon, S., et al. (2013). Phylogenetic and forensic studies of the Southeast Florida Hispanic population using the next-generation forensic PowerPlex® Y23 STR marker system. *Legal Medicine*, (in press). doi:pii: S1344-6223(13)00071-0. 10.1016/j.legalmed.2013.07.003.

Coble, M.D., et al. (2013) Haplotype data for 23 Y-chromosome markers in four U.S. population groups. *Forensic Science International: Genetics*, 7, e66-e68.

Davis, C., et al. (2013). Prototype PowerPlex® Y23 System: a concordance study. *Forensic Science International: Genetics*, 7, 204-208.

Rapidly Mutating (RM) Y-STRs

Ballantyne, K.N., et al. (2010). Mutability of Y-chromosomal microsatellites: rates, characteristics, molecular bases, and forensic implications. *American Journal of Human Genetics*, 87, 341-353.

Ballantyne, K.N., et al. (2012). A new future of forensic Y-chromosome analysis: rapidly mutating Y-STRs for differentiating male relatives and paternal lineages. *Forensic Science International: Genetics*, 6, 208-218.

Early Y-STR Work at NIST

- Barni, F., Salata, E., Rapone, C., Kline, M., Lago, G., Butler, J., Berti, A. (2007) Characterisation of novel alleles and duplication events in the STR DYS19, DYS439, DYS389II and DYS385 loci. *Identity (Promega Newsletter for Europe, Middle East and Africa)*, Spring 2007, pp. 1-3. [[pdf](#)]
- Butler, J.M. (2003) Recent developments in Y-short tandem repeat and Y-single nucleotide polymorphism analysis. *Forensic Sci. Rev.* 15:91-111.
- Butler, J.M., Schoske, R., Vallone, P.M., Kline, M.C., Redd, A.J., Hammer, M.F. (2002) A novel multiplex for simultaneous amplification of 20 Y chromosome STR markers. *Forensic Sci. Int.* 129: 10-24.
- Butler, J.M. and Schoske, R. (2004) Duplication of DYS19 flanking regions in other parts of the Y chromosome. *Int. J. Legal Med.* 118: 178-183.
- Butler, J.M., Decker, A.E., Kline, M.C., Vallone, P.M. (2005) Chromosomal duplications along the Y-chromosome and their potential impact on Y-STR interpretation. *J. Forensic Sci.* 50(4): 853-859.
- Butler, J.M., Decker, A.E., Vallone, P.M., Kline, M.C. (2006) Allele frequencies for 27 Y-STR loci with U.S. Caucasian, African American, and Hispanic samples. *Forensic Sci. Int.* 156:250-260.
- Decker, A.E., Kline, M.C., Vallone, P.M., Butler, J.M. (2007) The impact of additional Y-STR loci on resolving common haplotypes and closely related individuals. *FSI Genetics* 1:215-217.
- Decker, A.E., Kline, M.C., Redman, J.W., Reid, T.M., Butler, J.M. (2008) Analysis of mutations in father-son pairs with 17 Y-STR loci. *FSI Genetics* 2(3):e31-e35.
- Gusmão, L., Butler, J.M., Carracedo, A., Gill, P., Kayser, M., Mayr, W.R., Morling, N., Prinz, M., Roewer, L., Tyler-Smith, C., Schneider, P.M. (2006) DNA Commission of the International Society of Forensic Genetics (ISFG): An update of the recommendations on the use of Y-STRs in forensic analysis. *Forensic Sci. Int.* 157:187-197.
- Schoske, R., Vallone, P.M., Ruitberg, C.M., Butler, J.M. (2003) Multiplex PCR design strategy used for the simultaneous amplification of 10 Y chromosome short tandem repeat (STR) loci. *Anal. Bioanal. Chem.* 375: 333-343.
- Schoske, R., Vallone, P.M., Kline, M.C., Redman, J.W., Butler, J.M. (2004) High-throughput Y-STR typing of U.S. populations with 27 regions of the Y chromosome using two multiplex PCR assays. *Forensic Sci. Int.* 139: 107-121.

Impact of Additional Y-STR Loci

- Alves, C., et al. (2003). Evaluating the informative power of Y-STRs: a comparative study using European and new African haplotype data. *Forensic Science International*, 134, 126-133.
- Beleza, S., et al. (2003). Extending STR markers in Y chromosome haplotypes. *International Journal of Legal Medicine*, 117, 27-33.
- Butler, J.M., et al. (2007). New autosomal and Y-chromosome STR loci: characterization and potential uses. *Proceedings of the Eighteenth International Symposium on Human Identification*. Available at <http://www.promega.com/geneticidproc/>.
- D'Amato, M.E., et al. (2010). Characterization of highly discriminatory loci DYS449, DS481, DYS518, DYS612, DYS626, DYS644, and DYS710. *Forensic Science International: Genetics*, 4, 104-110.
- Decker, A.E., et al. (2007). The impact of additional Y-STR loci on resolving common haplotypes and closely related individuals. *Forensic Science International: Genetics*, 1, 215-217.
- Hanson, E.K., & Ballantyne, J. (2007). An ultra-high discrimination Y chromosome short tandem repeat multiplex DNA typing system. *PLoS ONE*, 2, e688.
- Leat, N., et al. (2007). Properties of novel and widely studies Y-STR loci in three South African populations. *Forensic Science International*, 168, 154-161.
- Maybruck, J.L., et al. (2009). A comparative analysis of two different sets of Y-chromosome short tandem repeats (Y-STRs) on a common population panel. *Forensic Science International: Genetics*, 4, 11-20.
- Palha, T., et al. (2012). Disclosing the genetic structure of Brazil through analysis of male lineages with highly discriminating haplotypes. *PLoS ONE*, 7(7), e40007.
- Park, M.J., et al. (2012). Understanding the Y chromosome variation in Korea—relevance of combined haplogroups and haplotype analyses. *International Journal of Legal Medicine*, 126, 589-599.

Reference List for ISHI 2013 Workshop on New STR Loci and Kits

Compiled by John Butler, Sept 2013

Redd, A.J., et al. (2002). Forensic value of 14 novel STRs on the human Y chromosome. [*Forensic Science International*, 130, 97-111.](#)

Rodig, H., et al. (2007). Population study and evaluation of 20 Y-chromosome STR loci in Germans. *International Journal of Legal Medicine*, 121, 24-27.

Rodig, H., et al. (2008). Evaluation of haplotype discrimination capacity of 35 Y-chromosomal short tandem repeat loci. *Forensic Science International*, 174, 182-188.

Vermeulen, M., et al. (2009). Improving global and regional resolution of male lineage differentiation by simple single-copy Y-chromosomal short tandem repeat polymorphisms. *Forensic Science International: Genetics*, 3, 205-213.

Y-STR Mutations

Ballard, D.J., et al. (2005). A study of mutation rates and the characterisation of intermediate, null and duplicated alleles for 13 Y chromosome STRs. *Forensic Science International*, 155, 65-70.

Bonne-Tamir, B., et al. (2003). Maternal and paternal lineages of the Samaritan isolate: mutation rates and time to most recent common male ancestor. *Annals of Human Genetics*, 67, 153-164.

Decker, A.E., et al. (2008). Analysis of mutations in father-son pairs with 17 Y-STR loci. *Forensic Science International: Genetics*, 2, e31-e35.

Donbak, L., et al. (2006). Y-STR haplotypes in populations from the Eastern Mediterranean region of Turkey. *International Journal of Legal Medicine*, 120, 395-396.

Dupuy, B.M., et al. (2004). Y-chromosomal microsatellite mutation rates: differences in mutation rate between and within loci. *Human Mutation*, 23, 117-124.

Farfan, M.J., & Prieto, V. (2009). Mutations at 17 Y-STR loci in father-son pairs from Southern Spain. *Forensic Science International: Genetics Supplement Series*, 2, 425-426.

Ge, J., et al. (2009). Mutation rates at Y chromosome short tandem repeats in Texas populations. *Forensic Science International: Genetics*, 3, 179-184.

Goedbloed, M., et al. (2009). Comprehensive mutation analysis of 17 Y-chromosomal short tandem repeat polymorphisms included in the AmpFISTR Yfiler PCR amplification kit. *International Journal of Legal Medicine*, 123, 471-482.

Gusmão, L., et al. (2005). Mutation rates at Y chromosome specific microsatellites. *Human Mutation*, 26, 520-528.

Heyer, E., et al. (1997). Estimating Y chromosome specific microsatellite mutation frequencies using deep rooting pedigrees. *Human Molecular Genetics*, 6, 799-803.

Hohoff, C., et al. (2007). Y-chromosomal microsatellite mutation rates in a population sample from northwestern Germany. *International Journal of Legal Medicine*, 121, 359-363.

Kayser, M., et al. (2000). Characteristics and frequency of germline mutations at microsatellite loci from the human Y chromosome, as revealed by direct observation in father/son pairs. *American Journal of Human Genetics*, 66, 1580-1588.

Kayser, M., & Sajantila, A. (2001). Mutations at Y-STR loci: implications for paternity testing and forensic analysis. *Forensic Science International*, 118, 116-121.

Laouina, A., et al. (2013). Mutation rate at 17 Y-STR loci in "father/son" pairs from Moroccan population. *Legal Medicine*, 15(5), 269-271.

Lee, H.Y., et al. (2007). Haplotypes and mutation analysis of 22 Y-chromosomal STRs in Korean father-son pairs. *International Journal of Legal Medicine*, 121, 128-135.

Marino, M., & Furfuro, S. (2011). Haplotype frequencies and mutation rates for 17 Y-STRs in a sample from Mendoza province (Argentina). *Forensic Science International: Genetics Supplement Series*, 3, e65-e66.

Onofri, V., et al. (2009). Evaluating Y-chromosome STRs mutation rates: a collaborative study of the Ge.F.I.-ISFG Italian Group. *Forensic Science International: Genetics Supplement Series*, 2, 419-420.

Pollin, T.I., et al. (2008). Investigations of the Y chromosome male founder structure and YSTR mutation rates in the Old Order Amish. *Human Heredity*, 65, 91-104.

Sánchez-Diz, P., et al. (2008). Population and segregation data on 17 Y-STRs: results of a GEP-ISFG collaborative study. *International Journal of Legal Medicine*, 122, 529-533.

Reference List for ISHI 2013 Workshop on New STR Loci and Kits

Compiled by John Butler, Sept 2013

Soares, P.A., et al. (2006). Relative Y-STR mutation rates estimated from variance inside SNP defined lineages. *International Congress Series (Progress in Forensic Genetics 11)*, 1288, 82-84.

Tamura, A., et al. (2008). Sequence analysis of two *de novo* mutation alleles at the Y-STR locus. *Forensic Science International: Genetics Supplement Series*, 1, 250-251.

Toscanini, U., et al. (2008) Y chromosome microsatellite genetic variation in two Native American populations from Argentina: Population stratification and mutation data. *Forensic Science International: Genetics*, 2, 274-280.

Turrina, S., et al. (2006). Y-chromosomal STR haplotypes in a Northeast Italian population sample using 17plex loci PCR assay. *International Journal of Legal Medicine*, 120, 56-59.

Vieira-Silva, C., et al. (2009). Y-STR mutational rates determination in South Portugal Caucasian population. *Forensic Science International: Genetics Supplement Series*, 2, 60-61.

Yoshida, Y., et al. (2005) Population study of Y-chromosome STR haplotypes in Japanese from the Tokushima. *International Journal of Legal Medicine*, 119, 172-176.

Zhivotovsky, L.A., et al. (2004) The effective mutation rate at Y chromosome short tandem repeats, with application to human population-divergence time. *American Journal of Human Genetics*, 74, 50-61.

Y-STR Profile Anomalies

Balaresque, P., et al. (2009). Genomic complexity of the Y-STR DYS19: inversions, deletions and founder lineages carrying duplications. *International Journal of Legal Medicine*, 123, 15-23.

Budowle, B., et al. (2008). Null allele sequence structure at the DYS448 locus and implications for profile interpretation. *International Journal of Legal Medicine*, 122, 421-427.

Butler, J.M., et al. (2005) Chromosomal duplications along the Y-chromosome and their potential impact on Y-STR interpretation. [Journal of Forensic Sciences, 50\(4\), 853-859.](#)

Carboni, I., & Ricci, U. (2009). Unexpected patterns in Y-STR analyses and implications for profile identification. *Forensic Science International: Genetics Supplement Series*, 2, 55-56.

Diederiche, M., et al. (2005). A case of double alleles at three Y-STR loci: forensic implications. *International Journal of Legal Medicine*, 119, 223-225.

Glock, B., et al. (2008). A DYS438 null allele observed in two generations of a large family. *Forensic Science International: Genetics Supplement Series*, 1, 206-207.